56	548	((target adj (board or card or circuit or	USPAT;	2004/07/02 15:44
		layer)) and (boot or start-up or start or	US-PGPUB;	
}		configurat\$4)) and (OS or (operation adj	EPO; JPO;	
		system))	DERWENT;	
			IBM TDB	i i

L Number	Hits	Search Text	DB	Time stamp
43	2406828		USPAT;	2004/07/02 15:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
44	4894874	OS or operation adj system	USPAT;	2004/07/02 13:36
			US-PGPUB;	
!			EPO; JPO;	
			DERWENT;	
45	6259	execut\$5 adj file\$3	IBM_TDB USPAT;	2004/07/02 13:38
45	0239	executas adj lileas	US-PGPUB;	2004/07/02 13:36
			EPO; JPO;	
1			DERWENT;	
[IBM_TDB	
46	3793	shar\$5 adj fil\$5	USPAT;	2004/07/02 13:38
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
47	457261	identificat\$5	USPĀT;	2004/07/02 13:39
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
48	6129424	target adj board or circuit or layer	IBM_TDB USPAT;	2004/07/02 13:39
10	0123424	cargee day board or careare or rayer	US-PGPUB;	2004/07/02 13:33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/07/00 45 05
49	44	(boot or start-up or start or configurat\$4) and (OS or operation adj	USPAT; US-PGPUB;	2004/07/02 15:26
		system) and (execut\$5 adj file\$3) and	EPO; JPO;	
		(shar\$5 adj fil\$5) and identificat\$5 and	DERWENT;	
		(target adj board or circuit or layer)	IBM TDB	
50	6351647	target adj board or card or circuit or	USPAT;	2004/07/02 15:37
		layer	US-PGPUB;	
			EPO; JPO; DERWENT;	
1			IBM TDB	
51	47	(boot or start-up or start or	USPAT;	2004/07/02 15:29
		configurat\$4) and (OS or operation adj	US-PGPUB;	
1		system) and (execut\$5 adj file\$3) and	EPO; JPO;	
		(shar\$5 adj fil\$5) and identificat\$5 and	DERWENT;	
		(target adj board or card or circuit or layer)	IBM_TDB	
53	0	(boot or start-up or start or	USPAT;	2004/07/02 15:39
		configurat\$4) and (OS or operation adj	US-PGPUB;	
		system) and (execut\$5 adj file\$3) and	EPO; JPO;	
		(shar\$5 adj fil\$5) and identificat\$5 and	DERWENT;	
		(target adj (board or card or circuit or layer))	IBM_TDB	
52	3250	target adj (board or card or circuit or	USPAT;	2004/07/02 15:42
~-]	layer)	US-PGPUB;	2001,01,02 13.12
		•	EPO; JPO;	
			DERWENT;	
[1041	(homes and thousand an arms of the the	IBM_TDB	2004/07/02 15 42
54	1341	(target adj (board or card or circuit or layer)) and (boot or start-up or start or	USPAT; US-PGPUB;	2004/07/02 15:43
1		configurat\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
55	4894874	OS or (operation adj system)	USPAT;	2004/07/02 15:44
			US-PGPUB;	
]			EPO; JPO; DERWENT;]
			IBM TDB	
	<u> </u>	<u> </u>		<u> </u>

L Number	Hits	Search Text	DB	Time stamp
43	2406828	boot or start-up or start or configurat\$4	USPAT;	2004/07/02 13:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
44	4894874	OS or operation adj system	USPAT;	2004/07/02 13:36
			US-PGPUB;	
1			EPO; JPO;	
Ì			DERWENT;	
			IBM_TDB	
45	6259	execut\$5 adj file\$3	USPAT;	2004/07/02 13:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
46	3793	shar\$5 adj fil\$5	USPAT;	2004/07/02 13:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
47	457261	identificat\$5	USPAT;	2004/07/02 13:39
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
48	6129424	target adj board or circuit or layer	USPAT;	2004/07/02 13:39
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
49	, ,	(hank an akank un akank an	IBM_TDB	0004/07/00 15 05
49	44	(boot or start-up or start or	USPĀT;	2004/07/02 15:26
		configurat\$4) and (OS or operation adj	US-PGPUB;	
]		system) and (execut\$5 adj file\$3) and	EPO; JPO;	
		(shar\$5 adj fil\$5) and identificat\$5 and	DERWENT;	
50	6251642	(target adj board or circuit or layer)	IBM_TDB	0004/07/00 15 05
30	6351647	target adj board or card or circuit or	USPAT;	2004/07/02 15:27
		layer	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
51	47	(boot or start-up or start or	IBM_TDB	2004/07/02 15:29
"	4 /	configurat\$4) and (OS or operation adj	USPAT; US-PGPUB;	2004/0//02 13:29
		system) and (execut\$5 adj file\$3) and	EPO; JPO;	
		(shar\$5 adj fil\$5) and identificat\$5 and	DERWENT;	
		(target adj board or card or circuit or	IBM TDB	
		layer)	1 100 - 100	
L		rayer,	l	L

L Number	Hits	Search Text	DB	Time stamp
43	2406828	boot or start-up or start or configurat\$4	USPAT;	2004/07/02 13:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
44	4894874	OS or operation adj system	USPAT;	2004/07/02 13:36
			US-PGPUB;	
			EPO; JPO;	İ
			DERWENT;	
			IBM_TDB	
45	6259	execut\$5 adj file\$3	USPAT;	2004/07/02 13:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
46	3793	shar\$5 adj fil\$5	USPAT;	2004/07/02 13:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	;		IBM_TDB	
47	457261	identificat\$5	USPAT;	2004/07/02 13:39
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
48	6129424	target adj board or circuit or layer	USPAT;	2004/07/02 13:39
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
49	44	(boot or start-up or start or	USPAT;	2004/07/02 13:41
		configurat\$4) and (OS or operation adj	US-PGPUB;	
		system) and (execut\$5 adj file\$3) and	EPO; JPO;	
		(shar\$5 adj fil\$5) and identificat\$5 and	DERWENT;	
		(target adj board or circuit or layer)	IBM_TDB	